


---

**SEYMOUR®**



**STRIKING TOOLS**

---

**THE DIFFERENCE IS REAL™!**



# NXT GENERATION FIBERGLASS

THE DIFFERENCE IS REAL!™

*Fifth generation innovative fiberglass handles provide a sure grip under tough working environments.*

DOUBLE POWDER COATED HEADS

OVERSTRIKE ZONE

HEADS HAVE POLISHED AND CHAMFERED EDGES

PAD PRINTED HANDLES

DOUBLE INJECTION MOLDED SOLID FIBERGLASS HANDLES

INDUSTRIAL ANTI-SLIP GRIP FOR THE MOST DEMANDING JOBS





### OUTPERFORMING THE COMPETITION

HAMMERS & SLEDGES	S500 INDUSTRIAL™	S400 JOBSITE™ FIBERGLASS	S400 JOBSITE™ AMERICAN HICKORY
Drilling	•	•	•
Cross-Pein	•	•	•
Engineer	•	•	•
Sledge Hammers	•	•	•
AXES & MAULS	S500 INDUSTRIAL™	S400 JOBSITE™ FIBERGLASS	S400 JOBSITE™ AMERICAN HICKORY
Camp Axe	•	•	•
Boys Axe			•
Single Bit Michigan Axe	•	•	•
Double Bit Michigan Axe		•	•
Pulaski Axe		•	•
Splitting Maul	•	•	•
PICKS & MATTOCKS	S500 INDUSTRIAL™	S400 JOBSITE™ FIBERGLASS	S400 JOBSITE™ AMERICAN HICKORY
Cutter Mattock		•	•
Pick Mattock	•	•	•
Railroad Pick	•	•	•

*We carry a comprehensive assortment, not just the fast running items.*

#### AMERICAN HICKORY AND ASH

The best replacement handles are made from American hickory because of their strength, elasticity, and ability to absorb shock. Hardwood handles do not conduct electricity.

#### SHOCK-ABSORBING AMERICAN HICKORY

American hickory is dense, heavy, and a natural shock absorber making it ideal for striking and cutting tool handles.

The long fibers and unique cell structure of American hickory allow it to flex repeatedly and return to its original shape. It absorbs and dissipates shock before it reaches the user's hands.

#### THE DIFFERENCE IS REAL™!

Turned handles are ergonomically superior to shaped handles:

*Shaped handles are made from thin flat boards that are smoothed and rounded on the top and bottom. Shaping is a faster and less costly way to make handles.*

*Turned handles are made on a lathe from wood blanks that are about 25% larger than the flat boards. The result is a handle that has ergonomic grips and contours.*

Anyone who holds a shaped handle and then a turned handle will immediately feel the comfort and higher quality of the turned handle. We choose to use the turned handle method.

#### WE TAKE THESE STEPS IN MAKING EVERY TURNED AXE HANDLE:

1. Start with an American Tennessee Hickory Log.



2. Axe wood square or blank.



3. Half turned axe handle.




4. Full rough turned axe handle.



5. Axe handle after sanding.



6. Finished axe handle with label and wedge.



## ***WITH SEYMOUR®, YOU WILL SELL MORE!***

A well-designed display is your silent sales person that sells hard 24/7. It can double or triple your inventory turns by attracting customer attention and using space efficiently. **These sturdy steel merchandisers are designed specifically to sell striking tools.** They provide a safe and secure location for tools that are otherwise difficult to display. The open design makes it easy to load or remove products.



### **COMPACT STRIKING TOOL RACK: MODEL YDIS166**

- This compact merchandiser can hold a variety of popular striking tools.
- The three-tier top rack is designed to hold sledges, axes, and mauls.
- The right side rack is designed to hold steel bars or pick and mattock handles.
- The bottom rack holds picks and mattocks.
- Size: 30.1" W x 18.9" D x 50.6" H



### **THREE-TIERED STRIKING TOOL RACK: MODEL YDIS126**

- This versatile merchandiser can easily display all types of striking tools.
- The top three-tier rack effectively displays three rows of sledges, axes and mauls.
- A middle rack holds short handle hammers.
- The bottom rack holds picks and mattocks.
- A side rack hold steel bars, repair handles and scrapers.
- A movable front rack holds splitting wedges.
- Size: 42.7" W x 18.9" D x 49.6" H



# LINK HANDLES®

Link Handles® allow consumers or professional contractors to get additional years of life out of trusted tools by replacing cracked, worn or broken handles. Merchandising units act as silent sales person, guiding customers to the correct replacement handles.

## THERE IS NO SUBSTITUTE FOR A GOOD DISPLAY

- Illustrated display banner shows and tells which tools each handle fits.
- Simple plan makes every employee an instant replacement handle expert.
- Makes selection easy for customers.
- Available in 5, 8, and 12 hook models.
- Easily customized to your exact needs.
- Simplifies re-orders.
- Increases sales profits.



The wall mount displays can be used as floor displays by using the floor stands (ordered separately).

MODEL	DESCRIPTION
64024 / LINK5HD	5-hook display, pegboard wall mount, 15" wide
64026 / LINK8HD	8-hook display, pegboard wall mount, 24" wide

MODEL	DESCRIPTION
64021 / LINK12HD	12-hook display, pegboard wall mount, 24" wide
64027 / LINKFSD	Floor stand for wall mount displays



1-3



4-6



7-9



10-12

## DRILLING (HAND DRILL) HAMMERS

Used to strike cold chisels, punches, star drills, brick chisels, and hardened nails. They are designed to deliver heavy blows with limited swing in tight spaces.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41805	S500 Industrial™	2 lb Drilling Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	10"	046385418054	6	15.4	65998
2	41806	S500 Industrial™	3 lb Drilling Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	10"	046385418061	6	20.7	65998
3	41809	S500 Industrial™	4 lb Drilling Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	10"	046385418092	6	28.6	65998
4	41807	S400 Jobsite™	2 lb Drilling Hammer	Fiberglass with Cushion Grip & Overstrike Protection	10"	046385418078	6	15.0	65998
5	41811	S400 Jobsite™	3 lb Drilling Hammer	Fiberglass with Cushion Grip & Overstrike Protection	10"	046385418115	6	20.7	65998
6	41812	S400 Jobsite™	4 lb Drilling Hammer	Fiberglass with Cushion Grip & Overstrike Protection	10"	046385418122	6	28.6	65998
7	41850	S400 Jobsite™	2 lb Drilling Hammer	Genuine American Hickory	10"	046385418504	6	15.2	65994
8	41851	S400 Jobsite™	3 lb Drilling Hammer	Genuine American Hickory	10"	046385418511	6	21.1	65994
9	41852	S400 Jobsite™	4 lb Drilling Hammer	Genuine American Hickory	10"	046385418528	6	28.4	65994
10	41800	S400 Jobsite™	2 lb Anti-Sparking Brass Drilling Hammer	Genuine American Hickory	15"	046385418009	6	15.4	65720
11	41801	S400 Jobsite™	4 lb Anti-Sparking Brass Drilling Hammer	Genuine American Hickory	15"	046385418016	6	28.8	65720
12	41802	S400 Jobsite™	6 lb Anti-Sparking Brass Drilling Hammer	Genuine American Hickory	32"	046385418023	2	15.0	64542





## CROSS-PEIN (BLACKSMITH) HAMMERS

Used to strike, shape and bend unhardened metal. Also used to shape block, brick, and stone.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41875	S500 Industrial™	2 lb Cross-Pein Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418757	6	15.2	65725
2	41871	S500 Industrial™	3 lb Cross-Pein Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418719	6	20.9	65725
3	41879	S500 Industrial™	4 lb Cross-Pein Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418795	6	28.4	65725
4	41876	S400 Jobsite™	2 lb Cross-Pein Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418764	6	15.4	65725
5	41877	S400 Jobsite™	3 lb Cross-Pein Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418771	6	20.7	65725
6	41878	S400 Jobsite™	4 lb Cross-Pein Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418788	6	28.2	65725
7	41872	S400 Jobsite™	2 lb Cross-Pein Hammer	Genuine American Hickory	16"	046385418726	6	15.4	65720
8	41873	S400 Jobsite™	3 lb Cross-Pein Hammer	Genuine American Hickory	16"	046385418733	6	20.5	65720
9	41874	S400 Jobsite™	4 lb Cross-Pein Hammer	Genuine American Hickory	16"	046385418740	6	28.4	65720



1-3



4-6



7-9

### ENGINEER HAMMERS (SHORT HANDLE SLEDGES)

Used to strike stone, concrete, metal, and wood. Often used to drive stakes and rods or move timbers. Short handles allow work in tight spaces.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41830	S500 Industrial™	2 lb Engineer Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418306	6	15.6	65725
2	41831	S500 Industrial™	3 lb Engineer Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418313	6	21.1	65725
3	41836	S500 Industrial™	4 lb Engineer Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418368	6	29.0	65725
4	41808	S400 Jobsite™	2 lb Engineer Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418085	6	15.4	65725
5	41814	S400 Jobsite™	3 lb Engineer Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418146	6	20.7	65725
6	41815	S400 Jobsite™	4 lb Engineer Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418153	6	29.0	65725
7	41853	S400 Jobsite™	2 lb Engineer Hammer	Genuine American Hickory	16"	046385418535	6	15.6	65720
8	41854	S400 Jobsite™	3 lb Engineer Hammer	Genuine American Hickory	16"	046385418542	6	20.9	65720
9	41855	S400 Jobsite™	4 lb Engineer Hammer	Genuine American Hickory	16"	046385418559	6	28.4	65720





## DOUBLE FACE SLEDGE HAMMERS

Used to strike stone, concrete, metal, and wood. Often used to drive stakes and posts, move timbers, and break concrete.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41837	S500 Industrial™	6 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418375	2	15.0	64430
2	41838	S500 Industrial™	8 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418382	2	19.1	64430
3	41839	S500 Industrial™	10 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418399	2	23.8	64430
4	41833	S500 Industrial™	12 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418337	2	27.5	64430
5	41834	S500 Industrial™	16 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418344	1	20.9	64430
6	41835	S500 Industrial™	20 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418351	1	21.3	64657
7	41825	S400 Jobsite™	6 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418252	2	15.0	64430
8	41820	S400 Jobsite™	8 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418207	2	18.9	64430
9	41818	S400 Jobsite™	10 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418184	2	23.5	64430
10	41819	S400 Jobsite™	12 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418191	2	27.7	64430
11	41823	S400 Jobsite™	16 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418238	1	17.4	64430
12	41824	S400 Jobsite™	20 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418245	1	21.3	64657
13	41856	S400 Jobsite™	6 lb Sledge Hammer	Genuine American Hickory	36"	046385418566	2	14.5	64419
14	41860	S400 Jobsite™	8 lb Sledge Hammer	Genuine American Hickory	36"	046385418603	2	18.9	64419
15	41858	S400 Jobsite™	10 lb Sledge Hammer	Genuine American Hickory	36"	046385418580	2	23.3	64419
16	41859	S400 Jobsite™	12 lb Sledge Hammer	Genuine American Hickory	36"	046385418597	2	27.3	64419
17	41861	S400 Jobsite™	16 lb Sledge Hammer	Genuine American Hickory	36"	046385418610	1	17.4	64419
18	41862	S400 Jobsite™	20 lb Sledge Hammer	Genuine American Hickory	36"	046385418627	1	21.1	64652



## SINGLE BIT MICHIGAN AXES

General purpose axes used to fell small trees, split wood, trim branches and prune trees.

## SINGLE BIT BOYS AXES

Lighter duty axes used to cut saplings, split kindling, trim branches, and prune trees.

## CAMP AXES

Lighter duty axes used to cut saplings, split kindling, trim branches, and prune trees.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41832	S500 Industrial™	3.5 lb Single Bit Michigan Axe	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418320	2	11.0	64718
2	41821	S400 Jobsite™	3.5 lb Single Bit Michigan Axe	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418214	2	10.8	64718
3	41847	S400 Jobsite™	3.5 lb Single Bit Michigan Axe	Genuine American Hickory	36"	046385418474	2	10.6	64709
4	41845	S400 Jobsite™	2.25 lb Boys Axe	Genuine American Hickory	28"	046385418450	2	7.0	64918
5	41841	S500 Industrial™	1.25 lb Camp Axe	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418412	2	4.3	N/A
6	41840	S400 Jobsite™	1.25 lb Camp Axe	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418405	2	4.2	N/A
7	41846	S400 Jobsite™	1.25 lb Camp Axe	Genuine American Hickory	16"	046385418467	2	3.7	65309





Photo Credit - USDA Boise National Forest | Boise, Idaho



### MICHIGAN DOUBLE BIT AXES

General purpose axes used to fell small trees, split wood, trim branches, and prune trees. Having two bits lengthens the time between blade sharpening.

### PULASKI / LANDSCAPING AXES

Combine a single bit axe blade with a mattock blade. This blade combination makes it ideal for fighting forest fires and for a variety of landscaping applications.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41822	S400 Jobsite™	3.5 lb Double Bit Michigan Axe	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418221	2	10.8	64749
2	41848	S400 Jobsite™	3.5 lb Double Bit Michigan Axe	Genuine American Hickory	36"	046385418481	2	10.6	64745
3	41810	S400 Jobsite™	4 lb Pulaski / Landscaping Axe	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418108	1	5.5	64749
4	41849	S400 Jobsite™	4 lb Pulaski / Landscaping Axe	Genuine American Hickory	36"	046385418498	1	5.5	64696



# SPLITTING MAULS



## SPLITTING (WOODCHOPPER) MAULS

Used to split wood. The blade is designed to split rather than cut and the heavy sledge-end adds power to the stroke.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41885	S500 Industrial™	6 lb Splitting Maul	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418856	2	15.0	64430
2	41887	S500 Industrial™	8 lb Splitting Maul	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418870	2	19.1	64430
3	41886	S400 Jobsite™	6 lb Splitting Maul	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418863	2	15.2	64430
4	41888	S400 Jobsite™	8 lb Splitting Maul	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418887	2	18.9	64430
5	41880	S400 Jobsite™	6 lb Splitting Maul	Genuine American Hickory	36"	046385418801	2	14.7	64419
6	41882	S400 Jobsite™	8 lb Splitting Maul	Genuine American Hickory	36"	046385418825	2	18.9	64419
7	41892	S500 Industrial™	4.5 lb Premium Log Splitter	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385418924	2	12.1	64430
8	41890	S400 Jobsite™	4.5 lb Premium Log Splitter	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418900	2	11.9	64430





## CUTTER MATTOCKS


Combines an axe-like cutter blade with a mattock blade. They are used to chop and dig, especially in hard dirt or clay soils. The cutter blade can be used to cut roots and loosen hard soil. The mattock blade is used to dig or remove loose soil.

## PICK MATTOCKS

Combines a pick blade with a mattock blade. They are used to dig or grub, especially in hard dirt or clay soils. The pointed pick blade can be used to loosen hard soil while the broader mattock blade is used to dig or remove loose soil.



#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	85567	S400 Jobsite™	2.5 lb Cutter Mattock	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855675	1	4.0	64764
2	85573	S400 Jobsite™	5 lb Cutter Mattock	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855736	1	7.7	64764
3	85566	S400 Jobsite™	2.5 lb Cutter Mattock	Hardwood	36"	046385855668	1	4.0	64762
4	85582	S400 Jobsite™	5 lb Cutter Mattock	Hardwood	36"	046385855828	1	7.7	63025
5	85522	S400 Jobsite™	5 lb Cutter Mattock Head Only	-	-	031365000688	4	20.0	N/A
6	85572	S500 Industrial™	5 lb Pick Mattock	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385855767	1	7.9	65053
7	85565	S400 Jobsite™	2.5 lb Pick Mattock	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855651	1	4.1	65053
8	85571	S400 Jobsite™	5 lb Pick Mattock	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855712	1	7.7	65053
9	85564	S400 Jobsite™	2.5 lb Pick Mattock	Hardwood	36"	046385855644	1	4.0	63025
10	85580	S400 Jobsite™	5 lb Pick Mattock	Hardwood	36"	046385855804	1	7.7	63025
11	85520	S400 Jobsite™	5 lb Pick Mattock Head Only	-	-	031365000671	4	20.0	N/A



## RAILROAD (CLAY) PICKS

Combine a pointed pick blade with a pick blade that has a narrow cutting edge. They are used to dig and loosen soil, especially in hard dirt or clay soils. The pointed pick blade can be used for deeper penetration while the other blade can be used for cutting and digging.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	85576	S500 Industrial™	5 lb Railroad Pick	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385855767	1	7.9	65053
2	85578	S500 Industrial™	6 lb Railroad Pick	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385855781	1	9.0	65053
3	85575	S400 Jobsite™	5 lb Railroad Pick	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855750	1	7.7	65053
4	85577	S400 Jobsite™	6 lb Railroad Pick	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855774	1	8.8	65053
5	85585	S400 Jobsite™	5 lb Railroad Pick	Hardwood	36"	046385855866	1	7.7	63025
6	85586	S400 Jobsite™	6 lb Railroad Pick	Hardwood	36"	046385855859	1	8.6	63025
7	85525	S400 Jobsite™	5 lb Railroad Pick Head Only	-	-	031365000695	4	20.0	N/A
8	85526	S400 Jobsite™	6 lb Railroad Pick Head Only	-	-	031365000701	4	24.0	N/A





## GARDEN HOE MATTOCKS

Combines a hoe blade with a mattock blade. They are used to chop, dig or grub.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	85529	S300 DuraLite™	3 lb Garden Hoe Mattock	Hardwood	51"	031365126098	6	22.8	66689
2	85591	S400 Jobsite™	1.5 lb Tiller Mattock	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385855910	2	3.6	N/A
3	85592	S400 Jobsite™	1.5 lb Pick Scoop	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385855927	2	3.7	N/A
4	85590	S400 Jobsite™	1.5 lb Pick Mattock	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385855903	2	3.6	N/A




## WRECKING (GOOSENECK) BARS

Used to pull nails and to pry apart wood. They have a nail puller head on the gooseneck end. The gooseneck provides leverage for heavy pulling. The other end has a bent chisel head for prying.

#	SMW #	SERIES	DESCRIPTION	UPC	PACK QTY	PACK WEIGHT
1	85300	S400 Jobsite™	12" Wrecking Bar	031365000480	1	2.4
2	85301	S400 Jobsite™	18" Wrecking Bar	031365000497	1	7.2
3	85302	S400 Jobsite™	24" Wrecking Bar	031365000503	1	11.2
4	85305	S400 Jobsite™	30" Wrecking Bar	031365000510	1	13.6
5	85303	S400 Jobsite™	36" Wrecking Bar	031365000527	1	18.4
6	85306	S400 Jobsite™	42" Wrecking Bar	046385853060	1	7.0
7	85304	S400 Jobsite™	48" Wrecking Bar	046385853046	1	23.6
8	85307	S400 Jobsite™	42" Stripping Bar	046385853077	1	10.1
9	85308	S400 Jobsite™	48" Stripping Bar	046385853084	1	11.6
10	85350	S400 Jobsite™	13" Utility Bar	046385853503	1	1.1
11	85351	S400 Jobsite™	15" Utility Bar	046385853510	1	1.6
12	85353	S400 Jobsite™	21" Utility Bar	046385853534	1	2.1
13	85356	S400 Jobsite™	11" Nail Puller - Double End	046385853565	1	1.2





### SAN ANGELO BARS

Chisel head on one end and a diamond point on the other end. They are used to pry and dig.

### POST HOLE TAMPING BARS

Chisel head on one end and a tamper point on the other end. The chisel end is used to dig or loosen soil in post holes. The tamper end is used to pack the soil around posts that have been set in the holes. Also great for moving rocks from soil.

### WEDGE POINT CROW BARS


Wedge shaped point. They are used to pry or move heavy objects and to split or separate wood, metal, or concrete forms.

### PINCH POINT CROW BARS

Slanted point. They are used to pry or move heavy objects and to split or separate wood, metal, or concrete forms.

#	SMW #	SERIES	DESCRIPTION	HANDLE STYLE	HANDLE LENGTHS	UPC	PACK QTY	PACK WEIGHT
1	85364	S400 Jobsite™	14 lb San Angelo Bar	1" Hex Shank	60"	046385853640	1	14.0
2	85367	S400 Jobsite™	17 lb San Angelo Bar	1" Hex Shank	72"	031365012216	1	17.0
3	85366	S400 Jobsite™	17 lb Post Hole Tamping Bar	1" Round Shank	72"	031365012209	1	16.8
4	85365	S400 Jobsite™	18 lb Wedge Point Bar	1.25" Round Shank	60"	031365000039	1	18.0
5	85357	S400 Jobsite™	10 lb Pinch Point Bar	1.25" Shank	48"	046385853572	1	10.0
6	85358	S400 Jobsite™	12 lb Pinch Point Bar	1.25" Shank	51"	046385853589	1	12.0
7	85368	S400 Jobsite™	18 lb Pinch Point Bar	1.25" Shank	60"	031365000022	1	18.2
8	85369	S400 Jobsite™	22 lb Pinch Point Bar	1.25" Shank	64"	046385853695	1	22.0
9	85360	S400 Jobsite™	11 lb Slate Bar	1" Hex Shank	48"	031365000589	1	10.8
10	85361	S400 Jobsite™	14 lb Slate Bar	1" Hex Shank	60"	031365000602	1	13.0
11	85332	S400 Jobsite™	29 lb Landscape Bar	1.25" Round Shank	69"	046385853329	1	29.0
12	41593	S400 Jobsite™	3 lb Wood Splitting Wedge	-	-	046385415930	4	12
13	41594	S400 Jobsite™	4 lb Wood Splitting Wedge	-	-	031365000350	4	15.2
14	41595	S400 Jobsite™	5 lb Wood Splitting Wedge	-	-	031365000367	4	19.3
15	41596	S400 Jobsite™	6 lb Wood Splitting Wedge	-	-	031365000374	4	25.6
16	41599	S400 Jobsite™	3.5 lb Diamond Wedge	-	-	046385415992	4	3.5

# SCRAPERS & HAMMERS



## SUPERSCRAPER™ SCRAPING TOOLS

Used to remove ice on walks and drives, remove old flooring and roofing, clean concrete, and for general clean-up on construction sites and farms. These super-duty scrapers are also rugged enough to sever roots and loosen hard-packed soil.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT
1	49031	S550 Forged™	SuperScrapper™ with 4" Steel Head	Precision Lathe Turned American Ash	54"	031365000718	2	8.8
2	49032	S550 Forged™	SuperScrapper™ with 4" Steel Head	Precision Lathe Turned American Ash with Poly D Grip	36"	046385490326	2	8.8
3	49033	S550 Forged™	SuperScrapper™ with 7" Steel Head	Precision Lathe Turned American Ash	54"	031365000725	2	10.4
4	49034	S550 Forged™	SuperScrapper™ with 7" Steel Head	Precision Lathe Turned American Ash with Poly D Grip	36"	031365000732	2	10.4
5	41500	S400 Jobsite™	16 oz. Rip Hammer	Contoured Hardwood Handle	13"	046385415008	1	1.2
6	41502	S400 Jobsite™	24 oz. Framing Hammer - Milled Face	Contoured Hardwood Handle	15"	046385415022	1	1.8
7	41501	S400 Jobsite™	16 oz. Rubber Mallet	Contoured Hardwood Handle	10"	046385415015	1	1.0
8	41503	S400 Jobsite™	32 oz. Dead Blow Hammer	Molded Polymer One-Piece Tool	13"	046385415039	1	0.8





## TAMPERS

Used to compact loose soil, sand, and stone. Often used to prepare foundation beds for drives, walks, and patios.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT
1	85078	S800 SuperDuty™	Tamper - 8" x 8" Cast Iron	Premium Fiberglass with ProGrip™	45"	031365000633	2	21.6
2	85054	S550 Irrigation™	Tamper - 4" x 10" Heavy Duty Steel	Extra Length All-Steel with 12" Double Dip	58"	046385850540	1	14.2
3	85008	S550 Irrigation™	Tamper - 8" x 8" Heavy Duty Steel	All-Steel with 12" Double Dip	48"	046385850083	1	16.2
4	85058	S550 Irrigation™	Tamper - 8" x 8" Heavy Duty Steel	Extra Length All-Steel with 12" Double Dip	58"	046385850588	1	18.2
5	85010	S550 Irrigation™	Tamper - 10" x 10" Heavy Duty Steel	All-Steel with 12" Double Dip	48"	046385850106	1	17.4
6	85050	S550 Irrigation™	Tamper - 10" x 10" Heavy Duty Steel	Extra Length All-Steel with 12" Double Dip	58"	046385850502	1	19.2
7	85088	S550 Irrigation™	Tamper - 8" x 8" Cast Iron	Precision Lathe Turned American Ash	44"	031365129099	4	47.2
8	85090	S550 Irrigation™	Tamper - 10" x 10" Cast Iron	Precision Lathe Turned American Ash	44"	031365129082	4	59.2
9	85060	S500 Industrial™	Tamper - 10" x 10" Heavy Duty Steel	Extra Length All-Steel Handle with 14" Cushion Grip	52"	046385850601	1	13.4
10	85068	S500 Industrial™	Tamper - 8" x 8" Heavy Duty Steel	Extra Length All-Steel Handle with 14" Cushion Grip	52"	046385850687	1	10.6
11	85098	S550 Irrigation™	Vinyl Tamper Boot - 8" x 8" Boot with Velcro Closure	-	-	046385850984	1	0.44





SUPERIOR HEAVY-DUTY TOOLS  
**STRUCTRON** **SEYMOUR**<sup>®</sup>

**KENYON** Toolite **MIDWEST RAKE**<sup>®</sup> LINK HANDLES<sup>®</sup>

SEYMOUR MIDWEST LLC • P.O. BOX 1674, WARSAW, IN 46581-1674  
P 844-SEYMOUR (739-6687) • 574-267-7875 • F 574-267-8508  
SALES@SEYMOURMIDWEST.COM • SEYMOURMIDWEST.COM

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

**FAMILY OWNED AMERICAN TOOL COMPANY SINCE 1872**



0 46385 09219 3

#YDIS303 © 2018 Seymour Midwest LLC